





Dizala za prijevoz tereta, tip MR-T

Strojarnica iznad
voznog okna




Strojarnica pored voznog okna,
na bilo kojoj etaži




Strojarnica u blizini voznog okna,
maksimalno udaljena 7 m

Cilindar s klipom
postavljen bočno



Cilindar s klipom
postavljen centralno



Vrsta pogona

električni	električni	hidraulični	hidraulični
------------	------------	-------------	-------------

Brzina kabine . . .

0.4 m/s 0.63 m/s 1.0 m/s	0.4 m/s 0.63 m/s 1.0 m/s	0.2 m/s - 0.63 m/s	0.2 m/s - 0.4 m/s
--------------------------------	--------------------------------	--------------------	-------------------

. . . za visinu dizanja do



12 m 20 m 32 m	12 m 20 m 32 m	12 m	7 m
----------------------	----------------------	------	-----



Dimenzije voznog okna i kabine bez vrata - teretna platforma

A - ulazi u kabinu s iste strane

AB - ulazi u kabinu s dvije strane
(prolazna kabina)





		1250 kg		1600 kg		2000 kg		2500 kg		3200 kg		4000 kg		5000 kg	
		A	AB	A	AB	A	AB	A	AB	A	AB	A	AB	A	AB
KABINA	BK	1400		1500		1500		2200		2200		2200		2400	
	TK1	2200		2470		2870		2370		2870		3370		3770	
	TK2	2270		2520		2920		2420		2920		3420		3820	
	HK	2100		2100		2100		2500		2500		2500		2500	
VRATA	BT	1400		1500		1500		2200		2200		2200		2400	
	HT	2100		2100		2100		2500		2500		2500		2500	
VOZNO OKNO	BS	2350		2400		2400		3100		3100		3100		3400	
	TS	2350		2600		3000		2500		3000		3500		3900	
	B1	475		425		425		425		425		425		525	
	B2	165		165		165		165		165		165		165	
	HSG	Mjera voznog okna ovisna o nazivnoj brzini dizala : min. 1300 do max. 1400													
	HSK	Mjera voznog okna ovisna o nazivnoj brzini dizala : min. 3500 do max. 4000													



Dimenzije voznog okna i kabine s Centralnim otvaranjem vrata

A - ulazi u kabinu s iste strane

AB - ulazi u kabinu s dvije strane
(prolazna kabina)




C		630 kg		1000 kg		1600 kg		2000 kg		2500 kg		3200 kg		4000 kg		5000 kg	
		A	AB	A	AB	A	AB	A	AB	A	AB	A	AB	A	AB	A	AB
KABINA	BK	1100		1300		1500		1500		2200		2200		2200		2400	
	TK1	1400		1750		2250		2700		2200		2700		3200		3600	
	HK	2100		2100		2100		2100		2500		2500		2500		2500	
VRATA	BT	1100		1300		1500		1500		2200		2200		2200		2400	
	HT	2100		2100		2100		2100		2500		2500		2500		2500	
VOZNO OKNO	BS	2100		2400		2700		2700		3600		3600		3600		3900	
	TS	1900		2300		2800		3400		2900		3400		3900		4300	
	B1	580		680		480		480		580		580		580		630	
	B2	180		180		480		480		580		580		580		630	
	HSG	Mjera voznog okna ovisna o nazivnoj brzini dizala : min. 1300 do max. 1600															
	HSK	Mjera voznog okna ovisna o nazivnoj brzini dizala : min. 3500 do max. 4100															



Dimenzije voznog okna i kabine s Teleskopskim otvaranjem vrata

A - ulazi u kabinu s iste strane

AB - ulazi u kabinu s dvije strane
(prolazna kabina)



Izvedba može biti i zrcalna.

T		630 kg		1000 kg		1600 kg		2000 kg		2500 kg		3200 kg		4000 kg		5000 kg	
		A	AB	A	AB	A	AB	A	AB	A	AB	A	AB	A	AB	A	AB
KABINA	BK	1100		1300		1500		1500		2200		2200		2200		2400	
	TK1	1400		1750		2250		2700		2200		2700		3200		3600	
	HK	2100		2100		2100		2100		2500		2500		2500		2500	
VRATA	BT	1100		1300		1500		1500		2200		2200		2200		2400	
	HT	2100		2100		2100		2100		2500		2500		2500		2500	
VOZNO OKNO	BS	2100		2400		2700		2700		3600		3600		3600		3900	
	TS	1900		2300		2800		3400		2900		3400		3900		4300	
	B1	580		680		480		480		580		580		580		630	
	B2	180		180		480		480		580		580		580		630	
	HSG	Mjera voznog okna ovisna o nazivnoj brzini dizala : min. 1300 do max. 1600															
	HSK	Mjera voznog okna ovisna o nazivnoj brzini dizala : min. 3500 do max. 4100															